

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Addiese: COMMISSIONER FOR PATENTS P O Box 1450 Alexandra, Virginia 22313-1450 www.wepto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/539,003	01/03/2006	Michael Kristensen	66386-362-7	9443
25269 DYKEMA GC	7590 06/17/200 DSSETT PLLC	EXAM	EXAMINER	
FRANKLIN SQUARE, THIRD FLOOR WEST 1300 I STREET, NW WASHINGTON, DC 20005			VOLZ, ELIZABETH J	
			ART UNIT	PAPER NUMBER
			3781	
			MAIL DATE	DELIVERY MODE
			06/17/2009	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.	Applicant(s)	Applicant(s)	
10/539,003	KRISTENSEN, MICHAEL	KRISTENSEN, MICHAEL	
Examiner	Art Unit		
ELIZABETH VOLZ	3781		

	ETH VOLZ 3/61				
The MAILING DATE of this communication appears on t Period for Reply	he cover sheet with the correspondence address				
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET. WHICHEVER IS LONGER, FROM THE MAILING DATE OF - Extension of time may be available under the provisions of 37 CFR 1.38(a). In no - If NO period for reply is specified above, the maximum statutory period wita apply and - If allur to reply within the set or extended périod for reply with the sate, cause the a - Any reply received by the Office later than three months after the maining date of this - amend paint time adjustment. See 37 CFR 1.70 CFR.	THIS COMMUNICATION. event, however, may a reply be timely filed will expire SIX (6) MONTHS from the mailing date of this communication. pplication to become ABANDONED (35 U.S.C. § 133).				
Status					
1) Responsive to communication(s) filed on 19 May 2009.					
2a) This action is FINAL . 2b) This action is	non-final.				
3) Since this application is in condition for allowance exce	pt for formal matters, prosecution as to the merits is				
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims					
4)⊠ Claim(s) <u>1-7</u> is/are pending in the application.					
4a) Of the above claim(s) is/are withdrawn from o	consideration.				
5) Claim(s) is/are allowed.					
6)⊠ Claim(s) <u>1-7</u> is/are rejected.					
7) Claim(s) is/are objected to.					
8)☐ Claim(s) are subject to restriction and/or election	requirement.				
Application Papers					
9) The specification is objected to by the Examiner.					
10)⊠ The drawing(s) filed on <u>19 May 2009</u> is/are: a)⊠ accepted or b)□ objected to by the Examiner.					
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).					
Replacement drawing sheet(s) including the correction is requ	•				
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.					
Priority under 35 U.S.C. § 119					
12)⊠ Acknowledgment is made of a claim for foreign priority u	inder 35 U.S.C. § 119(a)-(d) or (f).				
a)⊠ All b)□ Some * c)□ None of:	3 3 3 3 3 4 7 4 7 4 7				
1. Certified copies of the priority documents have been received.					
2. Certified copies of the priority documents have been received in Application No.					
3. Copies of the certified copies of the priority documents have been received in this National Stage					
application from the International Bureau (PCT Rule 17.2(a)).					
* See the attached detailed Office action for a list of the ce	rtified copies not received.				
Attachment(s)					
Notice of References Cited (PTO-892)	4) Interview Summary (PTO-413)				
2) Notice of Draftsperson's Patent Drawing Review (PTO-948)	Paper No(s)/Mail Date				
3) Information Disclosure Statement(s) (PTO/SE/US) Paper No(s)/Mail Date	6) Other:				

Page 2

Application/Control Number: 10/539,003

Art Unit: 3781

DETAILED ACTION

Claim Rejections - 35 USC § 102

 The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -


- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- Claims 1-4 and 7 are rejected under 35 U.S.C. 102(b) as being anticipated by Hookins (U.S. Patent No. 2.257.715).
- 3. Regarding Claims 1 and 7, Hopkins discloses a packing with screw thread which includes a container body 64 (Figure 8) with associated lid 70 (Figure 8), a mouth (Figure 1 below) of the container body being constituted by a cylindrical extension (Figure 1 below) with circular cross section, the cylindrical extension having an inner side (Figure 1 below) facing a cavity (Figure 1 below) of the container body and an outer side (Figure 1 below) including an annular section (Figure 1 below) projecting therefrom, including ridge portions (Figure 1 below) which are upwardly oriented toward a rim of the mouth to define a number of open grooves (Figure 1 below) that are substantially evenly distributed along the outer side circumference, and are oriented towards a rim 84 (Figure 9) of the mouth and having a bottom (Figure 1 below), where the lid, which is constituted by a generally flat, largely circular body (Figure 1 below) with a diameter greater than a diameter of the cylindrical extension (Figure 8), with an upper side (Figure 1 below) and an underside (Figure 1 below), interacts with the cylindrical extension for closing the mouth of the packing, as the lid along the periphery includes

Art Unit: 3781

an annular section 78 (Figure 9) oriented towards the underside of the lid facing the outer side of the cylindrical extension having screw threads 68 (Figure 8) for reception in the grooves by placing the lid on the mouth and by making a relative, turning movement between the lid and the container body, whereby the underside of the lid is pressed against the rim of the cylindrical extension, and where the grooves and the screw threads (Figure 9), respectively, each includes one half of mutually interacting arresting means for arresting the lid in the screwed on position, wherein one half of the arresting means are constituted by a projection 40 (Figure 4) provided in at least one of the grooves close to its bottom and oriented transversely of the grooves and standing up from a bottom (Figure 1 below) of the grooves, and the second half of the arresting means are constituted by the screw threads in the lid having a slit (Figure 1 below) for receiving the projections for detachable arresting of the lid on the mouth in the same moment as the lid assumes the screwed on position on the mouth of the container body with the underside pressed against the rim of the mouth of the container body.

Art Unit: 3781


Figure 1 (Hopkins)



4. Regarding Claim 2, Hopkins discloses a side of the lid facing the cavity of the container body 64 (Figure 8) which includes a membrane (Figure 9 below) centered about a middle of the lid, the membrane constituted by an annular, projecting section (Figure 9 below) which at least includes a sloping side edge (Figure 9 below) oriented towards the mouth (Figure 1 above) of the container body and continuing into a side running in parallel with the internal side of the mouth, the side being pressed against the inner side of the mouth at its rim when mounting the lid in the arrested position, simultaneously with the underside of the lid being pressed against the rim of the mouth of the container body (Figure 9).

Art Unit: 3781

Figure 9 (Hopkins)



- 5. Regarding Claim 3, Hopkins discloses an annular projection section 78 (Figure 8) which is conical, as the section closest to an upper side of the lid has a diameter at least corresponding to the internal diameter for the cylindrical extension of the mouth of the container body, and the section closest to the underside of the lid has a diameter being less than the internal diameter of the cylindrical extension, and the sloping side edge runs mainly rectilinearly between the part of the section closest to the underside of the lid and the side running in parallel with the internal side of the mouth of the container body (Figure 9).
- 6. Regarding Claim 4, Hopkins discloses an annular section 78 (Figure 8) constituting the membrane with the sloping side edge is lowered relatively to the underside of the part of the lid in contact with the container rim in mounted, arrested condition of the lid (Figure 9), whereby the extent of the side of the annular, projecting section pressed with the inner side of the mouth is increased (Figure 9).

Art Unit: 3781

Claim Rejections - 35 USC § 103


The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all
obviousness rejections set forth in this Office action:

- (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- Claims 5 and 6 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hopkins (U.S. Patent No. 2,257,715) in view of Krueger (U.S. Patent No. 6,371,317).
- 9. Regarding Claim 5, Hopkins discloses all the limitations substantially as claimed except for a section under the open grooves which forms one side limitation of a recess, the other side limitation of which being constituted by a projection at the outer side of the container body, and on the rim of the annular section of the lid there is found a spotwisely fastened, annular ring, to the underside of which with tab hinges are fastened a plurality of downwards projecting and bendable, interspaced tabs along the entire circumference of the ring, the tabs being intended for accommodation in the recess at the outer side of the container body by placing the lid in screwed on position on the mouth of the container body so that the free sides of the tabs are in contact with the side limitation in the recess. However, Krueger teaches a section (Figure 1 below) under the open grooves which forms one side limitation of a recess (Figure 7 below), the other side limitation of which being constituted by a projection 16 (Figure 7) at the outer side of the container body, and on the rim of the annular section of the lid there is found a spotwisely fastened, annular ring 30 (Figure 1), to the underside of which with


Art Unit: 3781

tab hinges are fastened a plurality of downwards projecting and bendable, interspaced tabs 34 (Figure 1) along the entire circumference of the ring, the tabs being intended for accommodation in the recess at the outer side of the container body by placing the lid in screwed on position on the mouth of the container body so that the free sides of the tabs are in contact with the side limitation in the recess (Column 3, Lines 38-45). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Hopkins to include the above limitations, as taught by Krueger, in order to indicate when the container has been tampered with.

Figure 1 (Krueger)



Art Unit: 3781



10. Regarding Claim 6, Hopkins discloses all the limitations substantially as claimed except for spotwise fastening of an annular ring to the rim of the annular section of the lid which is made so that the spotwise fastening is broken by a relative turning displacement between the lid and the container body which is oriented opposite to the screwing direction of the lid. However, Krueger teaches the spotwise fastening being broken by a turning displacement between the lid and the container body (Column 3, Lines 45-50). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Hopkins to include the above limitations, as taught by Krueger, in order to indicate when the container has been tampered with.

Art Unit: 3781

Response to Arguments

Applicant's arguments filed May 19, 2009 have been fully considered but they are
not persuasive. Applicant argues that amended Claim 1 clearly defines over Hopkins
U.S. Patent No. 2,257,715). However, as shown in the above rejection, Hopkins
discloses ridge portions.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to ELIZABETH VOLZ whose telephone number is (571) 270-5430. The examiner can normally be reached on Monday-Thursday, 8am-5pm EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Anthony Stashick can be reached on (571) 272-4561. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 3781

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/E. V./ Examiner, Art Unit 3781

/GARY L. WELCH/ Supervisory Patent Examiner, Art Unit 3765